

YAMAHA

ROAD SPORT

Apr. 5 2005

Tire Fitment 2005 / YAMAHA

NOTICE :

- While every effort has been made to maintain the accuracy, please make sure to check the owners manual for correct tire sizes.
- For some motorcycles, the tire sizes are "recommended" ones and may differ from the original tire sizes of motorcycle.
- Bridgestone cannot accept the claims from the below list.
- # means the change in tire size

MODEL	cc	TIRE SIZE (Original Equipment)		TL/TT	RIM		Original Equipment		BATTALX						CYROX / EXEDRA etc.		NOTE		
		FRONT	REAR		FRONT	REAR	RACE TYPE		SPORT TYPE		TOURING TYPE		FRONT	REAR					
							FRONT	REAR	FRONT	REAR	FRONT	REAR							
RZ50	50	2.50-18 4PR	2.75-18 4PR	TT	1.60	1.60	—	—									G511	*G510	F:AC01
RZ50(98-)	50	70/100-17 40P	80/90-17 44P	TT	1.60	1.85	—	—											
TZR50	50	80/90-16 43P	90/90-17 49P	TL	1.85	2.15	—	—	*BT39SS	*BT39SS							G557	G558	
TZR50R	50	80/90-16 43P	90/90-17 49P	TL	1.85	2.15	G557	G558	*BT39SS	*BT39SS							G557	G558	
YB-1 FORE	50	2.25-17 38L	—	TT	1.40	1.60	—	—									FS	RS10	
RZ125 (85-)	125	80/100-16 45P	90/90-18 51P	TT	1.85	2.15	G511	G510									G511	G510	
RZ125S	125	2.75-18 4PR	3.00-18 4PR	TT	1.60	1.85	—	—									G511	*G510	
TZR125 (87-88)	125	90/90-16 48P	100/90-18 56P	TT	1.85	2.15	(G519)	(G518)									—	—	
TZR125 (89-)	125	90/80-17 46S	100/90-18 56S	TL	2.15	2.50	—	—	BT39SS	BT39SS							—	G518	
SDR200	200	90/80-17 46S	110/80-17 57S	TL	2.15	2.50	—	—	BT39SS								—	—	
FZ250 FAZER	250	100/80-16 50S	120/80-16 60S	TL	2.15	2.50	G527	G528									G527	G528	
FZR250 (86-88)	250	100/80-17 52H	120/80-17 61H	TL	2.15	2.50	(G533)	(G534)									—	—	
FZR250R (89, 90-)	250	100/80-17 52H	130/70-17 62H	TL	2.75	3.50	(G549)	G550			BT39	BT39	BT45	BT45			—	—	
R1-Z	250	110/70 R17 54H	140/70 R17 66H	TL	2.75	3.50	—	—	BT090	BT090	BT92	BT92					CY17	CY16	
R1-Z	250	110/70-17 54H	140/70-17 66H	TL	2.75	3.50	—	—			BT39	BT39	BT45	BT45			G601	G602	
RZ250R / RR (83-87)	250	90/90-18 51H	110/80-18 58H	TL	2.15	2.50	(G511)	(G510)									BT45	BT45	
RZ250R / RR (88-)	250	100/80-17 52H	120/80-17 61H	TL	2.15	2.50	—	—			BT39	BT39	BT45	BT45			BT45	BT45	
SRV250 / S	250	90/90-18 51S	110/90-18 61S	TT	1.85	2.15	—	—									*BT45	*BT45	G511 G510
SRX250	250	90/80-17 46S	110/80-17 57S	TL	2.15	2.50	—	—	BT39SS								#G527	—	#F:100/80-16
SRX250 / F	250	90/90-16 48S	100/90-18 56S	TL	2.15	2.15	(G519)	(G518)			BT39SS						—	—	
TZR250 (85-87)	250	100/80-17 52H	120/80-17 61H	TL	2.15	2.50	(G533)	(G534)					BT39	BT39	BT45	BT45	—	—	
TZR250 (88)	250	100/80 R17 52H	130/70 R17 62H	TL	2.75	3.50	(CY13)	(CY14)					BT39	BT39	BT45	BT45	—	—	
TZR250 (89-90)	250	110/70 R17 54H	140/60 R18 64H	TL	3.00	4.00	(CY15)	CY16	BT090	BT96	BT92	BT92					CY17	CY16	
TZR250 SP (89-90)	250	110/70 R17 54H	150/60 R18 67H	TL	3.00	4.50	—	—	BT090	BT090	BT92	BT92					CY17	CY16	
TZR250R (91-)	250	110/70 R17 54H	150/60 R17 66H	TL	3.00	4.50	CY17	(CY20)	BT090	BT090	BT92	BT92					CY17	—	
TZR250R / SP / RS (91-92)	250	110/70 R17 54H	150/60 R17 66H	TL	3.00	4.50	—	—	BT090	BT090	BT92	BT92					CY17	—	
TZR250SPR	250	110/70 R17 54H	150/60 R17 66H	TL	3.00	4.50	BT80S	BT80S	BT090	BT090	BT92	BT92					CY17	—	
XS250S	250	3.00S 18 4PR	4.10S 18 4PR	TL	1.85	2.15	—	—									L303	—	
ZEAL	250	110/70-17 54H	140/70-17 66H	TL	2.75	3.50	—	—			BT39	BT39	BT45	BT45			G601	G602	
RUNESSA	250	90/90-18 51S	110/90-18 61S	TT	1.85	2.15	—	—									*BT45	*BT45	G511 G510
RZ350R / RR	350	90/90-18 51H	110/80-18 58H	TL	2.15	2.50	—	—									BT45	BT45	—
FZ400	400	110/70 R17 54H	160/60 R17 69H	TL	3.00	5.00	BT92	BT92	BT090	BT090	BT92	BT92					CY17	CY20	
FZ400 / R / N	400	100/90-16 54H	120/80-18 62H	TL	2.50	2.75	(G511)	(G510)					BT39		BT45	BT45	G547	—	
FZR400 / R / EXUP (86-89)	400	110/70 R17 54H	140/60 R18 64H	TL	3.00	4.00	(CY03)	(CY04)	BT090	BT96	BT92	BT92					CY17	CY16	
FZR400RR (90-)	400	120/60 R17 55H	160/60 R17 69H	TL	3.50	4.50	CY17	(CY16)	BT090	BT090	BT92	BT92					CY17	CY20	
FZR400RR SP (90-)	400	120/60 R17 55H	160/60 R17 69H	TL	3.50	4.50	—	—	BT090	BT090	BT92	BT92					CY17	CY20	
SR400 (-84)	400	3.50S 19 4PR	4.00S 18 4PR	TT	1.85	2.15	(G503)	(G503)									*BT45	—	*G510 F:*AC01 R:*AC02
SR400 (85-)	400	3.50S 18 4PR	4.00S 18 4PR	TT	1.85	2.15	—	—									*BT45	*BT45	— *G510 F:*AC01 R:*AC02
SR400 (01-)	400	90/100-18 54S	110/90-18 61S	TT	2.15	2.50	—	—									—	—	
SR400 (03-)	400	100/90-19	110/90-18																
SRX400 (85-86)	400	100/80-18 53S	120/80-18 62S	TL	2.15	2.75	G527	G528									*BT45	*BT45	—
SRX400 (87)	400	100/90-17 55S	120/80-18 62S	TL	2.50	2.75	G527	G528									*BT45	—	—
SRX400 (88-89)	400	110/80 R17 57H	120/80 R18 62H	TL	2.50	2.75	—	—									—	—	
SRX400 (90-)	400	110/70 R17 54H	140/70 R17 66H	TL	3.00	4.00	CY17	CY16	BT090	BT090	BT92	BT92					CY17	CY16	
XJ400Z / ZS / ZE	400	90/90-18 51H	110/90-18 61H	TL	2.15	2.50	—	—									BT45	BT45	—
XJR400 / S / R / RII (-00)	400	110/70-17 54H	150/70-17 69H	TL	3.00	4.00	G601	G602			BT39	BT39	BT45	BT45			G601	G602	
XJR400R (01-)	400	110/70ZR17 (54W)	150/70ZR17 (69W)	TL	3.00	4.00	BT020	BT020									BT020	BT020	—
XS400	400	3.00S 18 47S	4.10S 18 59S	TL	1.85	2.15	L303	(G508)									L303	—	
XZ400 / D	400	90/90-18 51S	110/90-18 61S	TL	1.85	2.15	—	—									*BT45	*BT45	G511
DIVERSION 400	400	110/80-17 57H	130/70-18 63H	TL	2.50	3.50	—	—			BT39	BT39	BT45	BT45			G547	—	
RZV500R	500	120/80-16 60H	130/80-18 66H	TL	2.75	3.00	—	—			*BT45V	*BT45V					—	G540	
SR500 (-84)	500	3.50S 19 4PR	4.00S 18 4PR	TT	1.85	2.15	(G503)	(G503)									*BT45	—	*G510 F:*AC01 R:*AC02
SR500 (85-)	500	3.50S 18 4PR	4.00S 18 4PR	TT	1.85	2.15	—	—									*BT45	*BT45	— *G510 F:*AC01 R:*AC02
FZR600	600	110/70VR17 V240	140/60VR18 V240	TL	3.00	4.00	(CY17)	(CY16)									—	—	
FZR600R	600	110/70V 17 V240	130/70V 18 V240	TL	3.00	3.50	(G549)	(G550)									—	—	
FZR600R	600	120/60ZR17 (55W)	160/60ZR17 (69W)	TL	3.50	4.50	BT50	BT50	BT56SS	BT56SS	BT014	BT014	BT020	BT020			—	—	
FZS600/FAZER	600	110/70ZR17 (54W)	160/60ZR17 (69W)	TL	3.00	5.00	BT57	BT57	BT56SS	BT56SS	BT014	BT014	BT020	BT020			—	—	
FZ6-S FAZER (05-)	600	120/70ZR17 (58W)	180/55ZR17 (73W)	TL	3.50	5.50	—	—	BT012SS	BT012SS	BT014	BT014	BT020	BT020			—	—	
SRX600 (85-86)	600	100/80-18 53S	120/80-18 62S	TL	2.15	2.75	G527	G528									*BT45	*BT45	—
SRX600 (87)	600	100/90-17 55S	120/80-18 62S	TL	2.50	2.75	G527	G528									*BT45	—	—
SRX600 (88-89)	600	110/80 R17 57H	120/80 R18 62H	TL	2.50	2.75	—	—									—	—	
SRX600 (90-)	600	110/70 R17 54H	140/70 R17 66H	TL	3.00	4.00	CY17	CY16	BT090	BT090	BT92	BT92					CY17	CY16	
SZR600	600	110/70ZR17 (54W)	150/60ZR17	TL															
XJ600 DIVERSION	600	110/80-17 57H	150/70-17 69H	TL	2.50	4.00	—	—					BT39	BT39	BT45	BT45	G547	G548	
YZF600R THUNDERCAT	600	120/60ZR17 (55W)	160/60ZR17 (69W)	TL	3.50	5.00	BT57	BT57	BT56SS	BT56SS	BT014	BT014	BT020	BT020			—	—	
YZF600R THUNDERCAT	600	120/60ZR17 (55W)	160/60ZR17 (69W)	TL	3.50	4.50	BT50	BT50	BT56SS	BT56SS	BT014	BT014	BT020	BT020			—	—	
YZF-R6 (02-)	600	120/60ZR17 (55W)	180/55ZR17 (73W)	TL	3.50	5.50	BT56	BT56	BT56SS	BT012SS	BT014	BT014	BT020	BT020			—	—	
YZF-R6 (05-)	600	120/70ZR17 (58W)	180/55ZR17 (73W)	TL	3.50	5.50	—	—	BT012SS	BT012SS	BT014	BT014	BT020	BT020			—	—	
Diversion 600	600	110/80-17 57H	130/70-18 63H	TL	2.50	3.50	—	—			BT39	BT39	BT45	BT45			G547	—	

YAMAHA

ROAD SPORT

Apr. 5 2005

Tire Fitment 2005 / YAMAHA

NOTICE :

- While every effort has been made to maintain the accuracy, please make sure to check the owners manual for correct tire sizes.
- For some motorcycles, the tire sizes are "recommended" ones and may differ from the original tire sizes of motorcycle.
- Bridgestone cannot accept the claims from the below list.
- # means the change in tire size

MODEL	cc	TIRE SIZE (Original Equipment)		TL/TT	RIM		Original Equipment		BATTALX						CYROX / EXEDRA etc.		NOTE	
		FRONT	REAR		FRONT	REAR	RACE TYPE		SPORT TYPE		TOURING TYPE		FRONT	REAR				
							FRONT	REAR	FRONT	REAR	FRONT	REAR						
FZ750	750	120/70V 17 V250	140/70V 18 V250	TL	3.00	3.50	G549	G550										
FZ750	750	120/80 R16 60H	130/80 R18 66H	TL	2.75	3.00	—	—										
FZR750	750	120/70 R17 58H	160/60 R18 70H	TL	3.50	4.50	(CY03)	(CY04)	*BT012SS		*BT014	*BT014	*BT020	*BT020	(CY19)			
FZR750R (OW-01)	750	120/70 R17 58H	170/60 R17 72H	TL	3.50	5.50	—	—	*BT012SS	*BT012SS	*BT014	*BT014	*BT020	BT020	(CY19)	(CY16)		
FZX750	750	110/90-16 59H	140/90-15 70H	TL	2.50	3.00	G527	G528			#BT45V							
XJ750D	750	3.25H 19 4PR	120/90-18 65H	TL	1.85	2.15	—	—			#BT45V	*BT45V					L303	#F:100/90V19
YZF750R / SP	750	120/70ZR17 (58W)	180/55ZR17 (73W)	TL	3.50	5.50	BT50	BT50	BT012SS	BT012SS	BT014	BT014	BT020	BT020				
YZF-R7 (OW-02)	750	120/70ZR17 (58W)	180/55ZR17 (73W)	TL	3.50	5.50	—	—	BT012SS	BT012SS	BT014	BT014	BT020	BT020				
TDM850	850	110/80-18 58H	150/70-17 69H	TL	3.00	4.00	G547	G548									G547	G548
TDM850 (99-)	850	110/80ZR18 (58W)	150/70ZR17 (69W)	TL	3.00	4.00	BT54	BT54					BT020	BT020				
TRX850	850	120/60ZR17 (55W)	160/60ZR17 (69W)	TL	3.50	5.00	—	—	BT56SS	BT56SS	BT014	BT014	BT020	BT020				
TDM900	900	120/70ZR18 (59W)	160/60ZR17 (69W)	TL	3.50	4.50	—	—			BT56SS			BT020	BT020			
XJ900S Diversion	900	120/70-17 58V	150/70-17 69V	TL	3.00	4.00	G601	G602					BT45V					
FZR1000 (87-88)	1000	120/70VR17 V270	160/60VR18 V270	TL	3.50	4.50	(CY03)	(CY04)	*BT012SS	#*BT012SS	*BT014	*BT014	*BT020	*BT020	CY19		#R:150/70ZR18	
FZR1000 (89-90)	1000	130/60VR17 V280	170/60VR17 V280	TL	3.50	5.50	(CY15)	(CY16)	—	—	—	—	—	—				
FZR1000 (91-94)	1000	130/60VR17 V280	170/60VR17 V280	TL	3.50	5.50	(CY17)	(CY20)	—	—	—	—	—	—				
FZR1000 (95-)	1000	130/60ZR17 (59W)	170/60ZR17 (72W)	TL	3.50	5.50	(CY17)	(CY20)	—	BT012SS	—	BT014	—	BT020	—	—		
FZS1000 FAZER /FZ1 (01-)	1000	120/70ZR17 (58W)	180/55ZR17 (73W)	TL	3.50	5.50	BT020	BT020	BT012SS	BT012SS	BT014	BT014	BT020	BT020				
GTS-1000	1000	130/60ZR17 (59W)	170/60ZR17 (72W)	TL	3.50	5.50	(CY17)	(CY20)	—	BT012SS	—	BT014	—	BT020	—	—		
YZF1000R Thunderace	1000	120/70ZR17 (58W)	180/55ZR17 (73W)	TL	3.50	5.50	BT50SS	BT50	BT012SS	BT012SS	BT014	BT014	BT020	BT020				
YZF-R1 (02-)	1000	120/70ZR17 (58W)	190/50ZR17 (73W)	TL	3.50	6.00	—	—	BT012SS	BT012SS	BT014	BT014	BT020	BT020				
BT1100 BULLDOG	1060	120/70ZR17 (58W)	170/60ZR17 (72W)	TL	3.50	5.50	—	—	BT012SS	BT012SS	BT014	BT014	BT020	BT020				
FJ1100	1100	120/80V 16 V240	150/80V 16 V240	TL	2.75	3.50	(G517)	(G516)					BT45V	BT45V			*G527	*G528
FJ1200 (-87)	1200	120/80V 16 V250	150/80V 16 V250	TL	2.75	3.50	(G533)	(G534)					BT45V				*G527	*G528
FJ1200	1200	120/70V 17 V250	150/80V 16 V250	TL	3.00	3.50	G549	(G550)										*G528
FJ1200	1200	120/70-17 58H	150/80-16 71H	TL	3.00	3.50	G549	G550					*BT45V	BT45			G547	
XJR1200 / R	1200	130/70ZR17 (62W)	170/60ZR17 (72W)	TL	3.50	5.50	BT54	BT54			BT012SS	BT57	BT57	BT020	BT020			
FJR1300 (01-)	1300	120/70ZR17 (58W)	180/55ZR17 (73W)	TL	3.50	5.50	—	—	BT012SS	BT012SS	BT014	BT014	BT020	BT020				
FJR1300 (02-)	1300	120/70ZR17 (58W)	180/55ZR17 (73W)	TL	3.50	5.50	BT020	BT020	BT012SS	BT012SS	BT014	BT014	BT020	BT020				
XJR1300 (03-)	1300	120/70ZR17 (58W)	180/55ZR17 (73W)	TL	3.50	5.50	BT020	BT020	BT012SS	BT012SS	BT014	BT014	BT020	BT020				
XJR1300/SP (00-)	1300	120/70ZR17 (58W)	180/55ZR17 (73W)	TL	3.50	5.50	BT020	BT020	BT012SS	BT012SS	BT014	BT014	BT020	BT020				
XJR1300 (-99)	1300	120/70ZR17 (58W)	180/55ZR17 (73W)	TL	3.50	5.50	BT57	BT57	BT012SS	BT012SS	BT014	BT014	BT020	BT020				
MT-01 (05-)	1670	120/70ZR17 (58W)	190/50ZR17 (73W)	TL	3.50	6.00	—	—	BT012SS	BT012SS	BT014	BT014	BT020	BT020				

AMERICAN

MODEL	cc	TIRE SIZE (Original Equipment)		TL/TT	Original Equipment		EXEDRA etc.		NOTE
		FRONT	REAR		FRONT	REAR	FRONT	REAR	
SR125	125	3.00-17 4PR	3.50-16 4PR	TT	—	—	L301	S701	
XV250 <S> VIRAGO	250	3.00S18 4PR	130/90-15 66P	TT	—	—	L303	G508	
DRAGSTAR 250 (01-)	250	80/100-18 47P	130/90-15 66P	TT	—	—	—	G508	
XV400 VIRAGO	400	3.00S19 4PR	140/90-15 70S	TT	L303	G508	—	—	
DRAGSTAR	400	100/90-19 57S	170/80-15 77S	TT	L309	G546	—	—	
DRAGSTAR CLASSIC	400	130/90-16 67S	170/80-15 77S	TT	G703	G702	—	—	
XV750 VIRAGO	750	100/90-19 57H	140/90-15 70H	RB	(G535)	(G536)	—	—	
XVS1100 (03-)	1100	130/90-16 67S	170/80-15 77S	TL	G703	G702	—	—	
XV1100 VIRAGO	1100	100/90-19 57H	140/90-15 70H	RBT	G535	G536	—	—	
DRAGSTAR 1100	1100	110/90-18 61S	170/80-15 77S	TT	L309	G546	—	—	
DRAGSTAR 1100 CLASSIC	1100	130/90-16 67S	170/80-15 77S	TT	—	—	G703	G702	
V MAX	1200	110/90V18 61V	150/90V15 74V	RWT	G525	G526	—	—	
V MAX	1200	110/90V18 61V	150/90V15 74V	RBT	G525	G526	—	—	
V MAX	1200	110/90-18 61H	150/90-15 74H	RBT	G525	G526	—	—	
XVZ13TD <VENTURE ROYALS>	1300	120/90-18 65H	140/90-16 71H	RWT	<L303>	(G508)	—	—	
ROYAL STAR/TOUR CLASSIC	1300	150/80-16 71H	150/90-15 74H	TL	G703	G702	—	—	
ROYAL STAR/TOUR CLASSIC	1300	150/80-16 71H	150/90-15 74H	TL	G705	G702	—	—	
ROYAL STAR VENTURE	1300	150/80-16 71H	150/90B15 74H	TL	G705	<G702>	—	—	
XV1600 ROADSTER (99-)	1600	130/90-16 67H	150/80B16 71H	TT	G703	<G702>	—	—	
ROADSTER WARRIOR (02-)	1670	120/70ZR18 (59W)	200/50ZR17 (75W)	TL	BT020	BT020	G851	G850	

YAMAHA

OFF ROAD

Apr. 5 2005

Tire Fitment 2005 / YAMAHA

NOTICE :

- While every effort has been made to maintain the accuracy, please make sure to check the owners manual for correct tire sizes.
- For some motorcycles, the tire sizes are "recommended" ones and may differ from the original tire sizes of motorcycle.
- Bridgestone cannot accept the claims from the below list.

means the change in tire size

MODEL	cc	TIRE SIZE (Original Equipment)				TL/TT	Original Equipment		BATTLE WING		TRAIL WING		GRITTY				NOTE
		FRONT		REAR			FRONT	REAR	FRONT	REAR	FRONT	REAR	FRONT	REAR	FRONT	REAR	
DT50	50	2.50-19	4PR	3.00-17	4PR	TT	—	—	—	—	TW9	TW12	—	—	—	—	#F:90/90-21
DT125R	125	2.75-21	4PR	4.10-18	4PR	TT	TW25	TW44	BW201	BW202	TW301	TW302	#ED663/661	—	ED03	ED04	
TW125 (01-)	125	130/80-18	66P	180/80-14	78P	TT	TW203	TW204	—	—	TW203	TW204	—	—	—	—	
AG200	200	3.00-19	4PR	4.10-18	4PR	TT	—	—	—	—	—	TW302	—	—	—	—	ED04
DT200R	200	3.00-21	4PR	4.60-18	4PR	TT	TW27	(TW46)	BW201	BW202	TW301	TW302	#ED663/661	#ED668/660	ED03	ED04	#F:90/90-21 #R:120/90-18
DT200R	200	3.00-21	4PR	120/80-18	62P	TT	TW27	(TW28)	BW201	BW202	TW301	TW302	#ED663/661	—	ED03	#ED04	#F:90/90-21 #R:4.60-18
DT200WR	200	3.00-21	51P	4.60-18	63P	TT	TW51	TW52	BW201	BW202	TW301	TW302	#ED663/661	#ED668/660	—	—	#F:90/90-21 #R:120/90-18
TW200	200	130/80-18	66P	180/80-14	78P	TT	TW31	<TW32>	—	—	TW203	TW204	—	—	—	—	
TW200 (00-)	200	130/80-18	66P	180/80-14	78P	TT	TW203	TW204	—	—	TW203	TW204	—	—	—	—	
XT200	200	2.75-21	4PR	4.10-18	4PR	TT	—	—	BW201	BW202	TW301	TW302	#ED663/661	—	ED03	ED04	#F:90/90-21
TW225(02-)	225	130/80-18	66P	180/80-14	78P	TT	TW203	TW204	—	—	TW203	TW204	—	—	—	—	
SEROW 225 / W	225	2.75-21	4PR	120/80-18	62P	TT	TW27	TW30	BW201	BW202	TW301	TW302	#ED663/661	—	ED03	#ED04	#F:90/90-21 #R:4.60-18
SEROW 225WE (00-)	225	2.75-21	45P	120/80-18	62P	TT/TL	TW301	TW302	BW201	BW202	TW301	TW302	#ED663/661	—	ED03	—	#F:90/90-21
SEROW 225WE (-99)	225	2.75-21	45P	**120/80-18	62P	TT/TL	TW27	TW30	BW201	BW202	TW301	—	#ED663/661	—	ED03	—	**110/80-18 POSSIBLE
BRONCO	225	2.75-19	43P	120/80-18	62P	TT	TW15	TW30	—	—	—	TW302	—	—	—	#ED04	#R:4.60-18
DT230 LANZA	230	3.00-21	51P	4.60-18	63P	TT	—	—	BW201	BW202	TW301	TW302	#ED663/661	#ED668/660	ED03	ED04	#F:90/90-21 #R:120/90-18
TDR250	250	100/90-18	56H	120/80-17	61H	TT	TW35	TW36	—	—	—	—	—	—	—	—	
TT250R / RAID	250	3.00-21	51P	4.60-18	63P	TT	TW51	TW52	BW201	BW202	TW301	TW302	#ED663/661	#ED668/660	ED03	ED04	#F:90/90-21 #R:120/90-18
TY250Z SCOTISH	250	2.75-21	4PR	4.00-18	4PR	TT	(TW11)	(TW10)	BW201	—	TW23	TW24	#ED663/661	#ED668/660	ED03	#ED04	#F:90/90-21 #R:120/90-18
XT250T	250	3.00-21	4PR	4.60-18	4PR	TT	—	—	BW201	BW202	TW301	TW302	#ED663/661	#ED668/660	ED03	ED04	#F:90/90-21 #R:120/90-18
tricker XG250	250	80/100-19	49P	120/90-16	63P	TT	TW201	TW202	—	—	TW201	TW202	—	—	—	—	
ARTESIA	400	90/90-21	54S	120/90-17	64S	TT	TW41	TW42	—	—	TW41	TW42	—	—	—	—	
XT600	600	90/90-21	54S	120/90-17	64S	TT	TW41	TW42	—	—	TW41	TW42	—	—	—	—	
XT600 / Z	600	90/90-21	54S	120/90-17	64S	TT	TW47	TW48	—	—	TW47	TW48	—	—	—	—	
XTZ660 TENERE	660	90/90-21	54S	120/90-17	64S	TT	TW41	TW42	—	—	TW41	TW42	—	—	—	—	
XTZ750 SUPER TENERE	750	90/90-21	54H	140/80-17	69H	TT	TW47	TW48	—	—	TW47	TW48	—	—	—	—	